



## E-Class Estate E 200.

Technical data (6-speed (manual))	
SSP approval status	4 - Approved
Model variant number	212234
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 200
Combustion process	Petrol
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Manual
Total displacement (cc)	1.991
Rated output (kW [hp] at rpm) 1)	135 [184]/5.500
Rated torque (Nm at rpm) 1)	270/1.200 - 4.000
Acceleration 0-100 km/h (s)	8,5
Top speed (km/h)	226
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Premium unleaded
Fuel consumption, urban 2)	8,6-8,4 l/100 km
Fuel consumption, extra-urban 2)	5,6-5,2 l/100 km
Fuel consumption, combined 2)	6,7-6,4 l/100 km
CO2 emissions combined (g/km) 2)	157-149
Emissions standard	Euro 6
Efficiency class ECE production vehicle (only valid for Germany) 3)	> B
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/595
Perm. gross vehicle weight (kg)	2.330
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Estate E 200.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212234
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 200
Combustion process	Petrol
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	1.991
Rated output (kW [hp] at rpm) 1)	135 [184]/5.500
Rated torque (Nm at rpm) 1)	300/1.200 - 4.000
Acceleration 0-100 km/h (s)	8,3
Top speed (km/h)	225
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Premium unleaded
Fuel consumption, urban 2)	7,8-7,5 l/100 km
Fuel consumption, extra-urban 2)	5,3-5,0 l/100 km
Fuel consumption, combined 2)	6,2-6,0 l/100 km
CO2 emissions combined (g/km) 2)	145-139
Emissions standard	Euro 6
Efficiency class ECE production vehicle (only valid for Germany) 3)	> B
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/595
Perm. gross vehicle weight (kg)	2.330
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Estate E 250.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212236
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 250
Combustion process	Petrol
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	1.991
Rated output (kW [hp] at rpm) 1)	155 [211]/5.500
Rated torque (Nm at rpm) 1)	350/1.200 - 4.000
Acceleration 0-100 km/h (s)	7,8
Top speed (km/h)	233
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Premium unleaded
Fuel consumption, urban 2)	7,9-7,6 l/100 km
Fuel consumption, extra-urban 2)	5,4-5,1 l/100 km
Fuel consumption, combined 2)	6,3-6,1 l/100 km
CO2 emissions combined (g/km) 2)	147-141
Emissions standard	Euro 6
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.785/595
Perm. gross vehicle weight (kg)	2.380
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Estate E 300.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212255
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 300
Combustion process	Petrol
Arrangement/no. of cylinders	V6
Transmission - gearshift type	Automatic
Total displacement (cc)	3.498
Rated output (kW [hp] at rpm) 1)	185 [252]/6.500
Rated torque (Nm at rpm) 1)	340/3.500 - 4.500
Acceleration 0-100 km/h (s)	7,5
Top speed (km/h)	250
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Premium unleaded
Fuel consumption, urban 2)	9,7-9,6 l/100 km
Fuel consumption, extra-urban 2)	5,8-5,6 l/100 km
Fuel consumption, combined 2)	7,2-7,1 l/100 km
CO2 emissions combined (g/km) 2)	169-165
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> C
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.845/595
Perm. gross vehicle weight (kg)	2.440
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Estate E 300 4MATIC.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212280
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 300 4MATIC
Combustion process	Petrol
Arrangement/no. of cylinders	V6
Transmission - gearshift type	Automatic
Total displacement (cc)	3.498
Rated output (kW [hp] at rpm) 1)	185 [252]/6.500
Rated torque (Nm at rpm) 1)	340/3.500 - 4.500
Acceleration 0-100 km/h (s)	7,8
Top speed (km/h)	243
Tyres/wheels, front	245/45 R 17
Tyres/wheels, rear	245/45 R 17
Fuel	Premium unleaded
Fuel consumption, urban 2)	10,3-10,3 l/100 km
Fuel consumption, extra-urban 2)	6,6-6,4 l/100 km
Fuel consumption, combined 2)	7,9-7,8 l/100 km
CO2 emissions combined (g/km) 2)	186-184
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> C
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.925/595
Perm. gross vehicle weight (kg)	2.520
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Estate E 500.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212273
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 500
Combustion process	Petrol
Arrangement/no. of cylinders	V8
Transmission - gearshift type	Automatic
Total displacement (cc)	4.663
Rated output (kW [hp] at rpm) 1)	300 [408]/5.000-5.750
Rated torque (Nm at rpm) 1)	600/1.600 - 4.750
Acceleration 0-100 km/h (s)	5,0
Top speed (km/h)	250
Tyres/wheels, front	245/40 R 18
Tyres/wheels, rear	245/40 R 18
Fuel	Premium unleaded
Fuel consumption, urban 2)	12,9-12,9 l/100 km
Fuel consumption, extra-urban 2)	7,1-7,1 l/100 km
Fuel consumption, combined 2)	9,3-9,3 l/100 km
CO2 emissions combined (g/km) 2)	216-216
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> E
Tank capacity/reserve (l)	80/9,0
Kerb weight/payload (kg) 4)	1.985/595
Perm. gross vehicle weight (kg)	2.580
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Estate E 500 4MATIC.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212291
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 500 4MATIC
Combustion process	Petrol
Arrangement/no. of cylinders	V8
Transmission - gearshift type	Automatic
Total displacement (cc)	4.663
Rated output (kW [hp] at rpm) 1)	300 [408]/5.000-5.750
Rated torque (Nm at rpm) 1)	600/1.600 - 4.750
Acceleration 0-100 km/h (s)	4,9
Top speed (km/h)	250
Tyres/wheels, front	245/40 R 18
Tyres/wheels, rear	245/40 R 18
Fuel	Premium unleaded
Fuel consumption, urban 2)	13,1-13,1 l/100 km
Fuel consumption, extra-urban 2)	7,4-7,4 l/100 km
Fuel consumption, combined 2)	9,5-9,5 l/100 km
CO2 emissions combined (g/km) 2)	222-222
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> E
Tank capacity/reserve (l)	80/9,0
Kerb weight/payload (kg) 4)	2.075/595
Perm. gross vehicle weight (kg)	2.670
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly