



## E-Class Saloon E 200 CDI.

Technical data (6-speed (manual))	
SSP approval status	4 - Approved
Model variant number	212005
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 200 CDI
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Manual
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	100 [136]/2.800-4.600
Rated torque (Nm at rpm) 1)	360/1.600 - 2.600
Acceleration 0-100 km/h (s)	10,2
Top speed (km/h)	210
Tyres/wheels, front	205/60 R 16
Tyres/wheels, rear	205/60 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,0-5,8 l/100 km
Fuel consumption, extra-urban 2)	4,5-4,2 l/100 km
Fuel consumption, combined 2)	5,1-4,8 l/100 km
CO2 emissions combined (g/km) 2)	134-125
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/565
Perm. gross vehicle weight (kg)	2.300
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/1.900/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC (kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 200 CDI.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212005
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 200 CDI
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	100 [136]/2.800-4.600
Rated torque (Nm at rpm) 1)	360/1.600 - 2.600
Acceleration 0-100 km/h (s)	9,5
Top speed (km/h)	207
Tyres/wheels, front	205/60 R 16
Tyres/wheels, rear	205/60 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,1-6,0 l/100 km
Fuel consumption, extra-urban 2)	4,6-4,2 l/100 km
Fuel consumption, combined 2)	5,2-4,9 l/100 km
CO2 emissions combined (g/km) 2)	135-127
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/565
Perm. gross vehicle weight (kg)	2.300
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/1.900/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 220 CDI.

Technical data (6-speed (manual))	
SSP approval status	4 - Approved
Model variant number	212002
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 220 CDI
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Manual
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	125 [170]/3.000-4.200
Rated torque (Nm at rpm) 1)	400/1.400 - 2.800
Acceleration 0-100 km/h (s)	8,7
Top speed (km/h)	228
Tyres/wheels, front	205/60 R 16
Tyres/wheels, rear	205/60 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,1-5,8 l/100 km
Fuel consumption, extra-urban 2)	4,3-4,1 l/100 km
Fuel consumption, combined 2)	5,0-4,7 l/100 km
CO2 emissions combined (g/km) 2)	130-123
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/565
Perm. gross vehicle weight (kg)	2.300
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/1.900/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 220 CDI.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212002
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 220 CDI
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	125 [170]/3.000-4.200
Rated torque (Nm at rpm) 1)	400/1.400 - 2.800
Acceleration 0-100 km/h (s)	8,4
Top speed (km/h)	227
Tyres/wheels, front	205/60 R 16
Tyres/wheels, rear	205/60 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,1-5,7 l/100 km
Fuel consumption, extra-urban 2)	4,4-4,1 l/100 km
Fuel consumption, combined 2)	5,1-4,7 l/100 km
CO2 emissions combined (g/km) 2)	133-125
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/565
Perm. gross vehicle weight (kg)	2.300
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.000/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 220 CDI BlueEFFICIENCY Edition.

Technical data (6-speed (manual))	
SSP approval status	4 - Approved
Model variant number	212002
Restriction code	0-804 Model year 2014, 0-P25 - Special Edition
Market launch	2013-03
Sales designation	E 220 CDI BlueEFFICIENCY Edition
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Manual
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	125 [170]/3.000-4.200
Rated torque (Nm at rpm) 1)	400/1.400 - 2.800
Acceleration 0-100 km/h (s)	8,7
Top speed (km/h)	228
Tyres/wheels, front	205/55 R 16
Tyres/wheels, rear	205/55 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	5,5-5,5 l/100 km
Fuel consumption, extra-urban 2)	4,0-4,0 l/100 km
Fuel consumption, combined 2)	4,5-4,5 l/100 km
CO2 emissions combined (g/km) 2)	119-119
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A+
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.735/475
Perm. gross vehicle weight (kg)	2.210
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	k. A./k. A./k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 250 CDI.

Technical data (6-speed (manual))	
SSP approval status	4 - Approved
Model variant number	212003
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 250 CDI
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Manual
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	150 [204]/3.800
Rated torque (Nm at rpm) 1)	500/1.600 - 1.800
Acceleration 0-100 km/h (s)	7,7
Top speed (km/h)	240
Tyres/wheels, front	205/60 R 16
Tyres/wheels, rear	205/60 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,1-5,8 l/100 km
Fuel consumption, extra-urban 2)	4,4-4,2 l/100 km
Fuel consumption, combined 2)	5,1-4,8 l/100 km
CO2 emissions combined (g/km) 2)	133-126
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.765/565
Perm. gross vehicle weight (kg)	2.330
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/1.900/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 250 CDI.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212003
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 250 CDI
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	150 [204]/3.800
Rated torque (Nm at rpm) 1)	500/1.600 - 1.800
Acceleration 0-100 km/h (s)	7,5
Top speed (km/h)	242
Tyres/wheels, front	205/60 R 16
Tyres/wheels, rear	205/60 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,2-5,8 l/100 km
Fuel consumption, extra-urban 2)	4,5-4,2 l/100 km
Fuel consumption, combined 2)	5,2-4,8 l/100 km
CO2 emissions combined (g/km) 2)	136-128
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.775/555
Perm. gross vehicle weight (kg)	2.330
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.000/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 250 CDI 4MATIC .

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212082
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 250 CDI 4MATIC
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	150 [204]/3.800
Rated torque (Nm at rpm) 1)	500/1.600 - 1.800
Acceleration 0-100 km/h (s)	7,9
Top speed (km/h)	238
Tyres/wheels, front	245/45 R 17
Tyres/wheels, rear	245/45 R 17
Fuel	Diesel fuel
Fuel consumption, urban 2)	6,6-6,5 l/100 km
Fuel consumption, extra-urban 2)	5,0-4,7 l/100 km
Fuel consumption, combined 2)	5,7-5,5 l/100 km
CO2 emissions combined (g/km) 2)	149-143
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.845/565
Perm. gross vehicle weight (kg)	2.410
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 300 BlueTEC.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212027
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 300 BlueTEC
Combustion process	Diesel
Arrangement/no. of cylinders	V6
Transmission - gearshift type	Automatic
Total displacement (cc)	2.987
Rated output (kW [hp] at rpm) 1)	170 [231]/3.800
Rated torque (Nm at rpm) 1)	540/1550-2400
Acceleration 0-100 km/h (s)	7,1
Top speed (km/h)	250
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	7,3-6,9 l/100 km
Fuel consumption, extra-urban 2)	5,2-4,7 l/100 km
Fuel consumption, combined 2)	6,0-5,5 l/100 km
CO2 emissions combined (g/km) 2)	157-144
Emissions standard	Euro 6
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.885/555
Perm. gross vehicle weight (kg)	2.440
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 300 BlueTEC HYBRID.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212098
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 300 BlueTEC HYBRID
Combustion process	Diesel
Arrangement/no. of cylinders	L4
Transmission - gearshift type	Automatic
Total displacement (cc)	2.143
Rated output (kW [hp] at rpm) 1)	150 [204]/4.200
Rated torque (Nm at rpm) 1)	500/1.600 - 1.800
Acceleration 0-100 km/h (s)	7,5
Top speed (km/h)	242
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	4,2-4,1 l/100 km
Fuel consumption, extra-urban 2)	4,2-4,1 l/100 km
Fuel consumption, combined 2)	4,2-4,1 l/100 km
CO2 emissions combined (g/km) 2)	110-107
Emissions standard	Euro 5
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A+
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.845/585
Perm. gross vehicle weight (kg)	2.430
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	300/300/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 350 BlueTEC.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212026
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 350 BlueTEC
Combustion process	Diesel
Arrangement/no. of cylinders	V6
Transmission - gearshift type	Automatic
Total displacement (cc)	2.987
Rated output (kW [hp] at rpm) 1)	185 [252]/3.600
Rated torque (Nm at rpm) 1)	620/1.600 - 2.400
Acceleration 0-100 km/h (s)	6,6
Top speed (km/h)	250
Tyres/wheels, front	225/55 R 16
Tyres/wheels, rear	225/55 R 16
Fuel	Diesel fuel
Fuel consumption, urban 2)	7,3-6,9 l/100 km
Fuel consumption, extra-urban 2)	5,2-4,7 l/100 km
Fuel consumption, combined 2)	6,0-5,5 l/100 km
CO2 emissions combined (g/km) 2)	157-144
Emissions standard	Euro 6
Efficiency class ECE production vehicle (only valid for Germany) 3)	> A
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.885/555
Perm. gross vehicle weight (kg)	2.440
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## E-Class Saloon E 350 BlueTEC 4MATIC.

Technical data (7G-TRONIC PLUS)	
SSP approval status	4 - Approved
Model variant number	212094
Restriction code	0-804 Model year 2014
Market launch	2013-03
Sales designation	E 350 BlueTEC 4MATIC
Combustion process	Diesel
Arrangement/no. of cylinders	V6
Transmission - gearshift type	Automatic
Total displacement (cc)	2.987
Rated output (kW [hp] at rpm) 1)	185 [252]/3.600
Rated torque (Nm at rpm) 1)	620/1.600 - 2.400
Acceleration 0-100 km/h (s)	6,7
Top speed (km/h)	245
Tyres/wheels, front	245/45 R 17
Tyres/wheels, rear	245/45 R 17
Fuel	Diesel fuel
Fuel consumption, urban 2)	7,7-7,3 l/100 km
Fuel consumption, extra-urban 2)	5,5-5,1 l/100 km
Fuel consumption, combined 2)	6,4-6,0 l/100 km
CO2 emissions combined (g/km) 2)	169-160
Emissions standard	Euro 6
Efficiency class ECE production vehicle (only valid for Germany) 3)	> B
Tank capacity/reserve (l)	59/8,0
Kerb weight/payload (kg) 4)	1.955/545
Perm. gross vehicle weight (kg)	2.500
perm. trailer load unbraked/braked [at 12%]/braked [at 8%] (kg)	750/2.100/k. A.

1) Rated output and torque figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring process (Directive [EC] 715/2007) in the currently applicable version. Note according to Directive 1999/94/EC in the currently applicable version: The figures are not based on an individual vehicle and do not constitute part of the product offer, they are provided solely for purposes of comparison between different vehicle models.

3) Established on the basis of measured CO2 emissions, and taking the vehicle mass into account.

4) Figures according to Directive 92/21/EC, version 95/48/EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly